



Author index

- Aumelas, A. 67
Baran, E.J. 131
Barberousse, V. 53
Bisio, A. 103
Blake, A.J. 43
Blum, C. 163
Bonnet, P.-A. 67
Boros, S. 149
Boubia, B. 53
Bozó, É. 149
Bueno Martínez, M. 241
Cescutti, P. 1
Christakopoulos, P. 191
Claeyssens, M. 191
Delay, C. 67
Delić, V. 245
Domard, A. 169
Driguez, H. 35
Drouillard, S. 35
Engelmann, S. 85
Erbing, B. 79
Etcheverry, S.B. 131
Florea, D. 179
Freeman, S. 43
Galbis, J.A. 241
Garozzo, D. 1
Gavin, J.A. 67
Gellerstedt, G. 213
Geremia, R.A. 35
Guerrini, M. 103
Györgydeák, Z. 229
Hameršak, Z. 245
Hasegawa, A. 223
Hewlins, M.J.E. 113
Heyraud, A. 35
Holme, K.R. 7
Holzer, W. 229
Ikeda, Y. 219
Ishida, H. 223
Ito, Y. 223
Iversen, T. 19
Jansson, P.-E. 79
Kekos, D. 191
Kiso, M. 223
Kok, G.B. 237
Kondo, S. 219
Kuszmann, J. 149
Kuzee, H.C. 203
Larsson, P.T. 19
Lemercinier, X. 27
Lemoine, J. 197
Le Questel, J.-Y. 53
Li, J. 213
Li, Y.-T. 223
Limberg, G. 109
Ljevaković, Đ. 13
Macris, B. 191
Maes, E. 179
Martichonok, V. 123
Masuda, M. 139
Molina Pinilla, I. 241
Mouhous-Riou, N. 53
Neeser, J.-R. 197
Nerinckx, W. 191
Nimmich, W. 79
Ogawa, K. 219
Pavlović, N. 245
Pedersen, C. 109
Pérez, S. 53
Perlin, A.S. 7
Peters, J.A. 203
Petrović, V. 13
Raaijmakers, H.W.C. 203
Rehnberg, N. 163
Rizzo, R. 1
Roumestand, C. 67
Roy, A.B. 113
Samain, E. 35
Samreth, S. 53
Santini, F. 103
Schlewer, G. 163
Schwalbe, C.H. 43
Schwartz-Albiez, R. 85
Shimizu, T. 139
Solomons, K.R.H. 43
Spiers, I.D. 43
Spiess, B. 163
Stampe Jensen, H. 109
Stenutz, R. 79
Stingele, F. 197
Strecker, G. 179
Šunjić, V. 245
Tanahashi, E. 223
Tarelli, E. 27
Thiem, J. 229
Tomašić, J. 13

- Tomić, S. 13
Vachoud, L. 169
Van Bekkum, H. 203
Verraest, D.L. 203
Von Itzstein, M. 237
Watanabe, T. 219
Wheeler, S. 27
Whitesides, G.M. 123
Wickholm, K. 19
Widmalm, G. 79
Williams, P.A.M. 131
Yates, E.A. 103
Zheng, H. 97
Zyドowicz, N. 169



Subject index

- 1,2
Structure of (\pm)-1,2;4,5-di-*O*-cyclohexylidene *myo*-inositol and synthesis of *myo*-inositol 3-phosphate via its phosphorylation with (2*R*,4*S*,5*R*)-2-chloro-3,4-dimethyl-5-phenyl-1,3,2-oxazaphospholidin-2-one 43
- Acetylated glycopyranosylaminoguanidines
Cyclization reactions of *N*¹-(glycopyranosylamino)guanidines 229
- Allomorphs
A CP/MAS ¹³C NMR investigation of molecular ordering in celluloses 19
- All-trans zigzag conformation
Non-mesogenic crystal structure of a synthetic 1-*D*-glucosamide bolaamphiphile 139
- 1-Amino-1-deoxy-L-arabinitol, protected derivatives
Synthesis and condensation reactions of 1-amino-1-deoxy-2,3,4-tri-O-methyl-5-*O*-[(pentachlorophenoxy)phthaloyl]-L-arabinitol 241
- Aminoguanidine
Cyclization reactions of *N*¹-(glycopyranosylamino)guanidines 229
- Amphibian
Primary structure of seven sulfated oligosaccharide-alditols released by reductive β -elimination from oviducal mucins of *Rana temporaria*. Characterization of the sequence HSO₃(3)GlcA(β1-3)Gal 179
- 4-Azido-4-deoxy-5-thio-*D*-xylose derivatives
Synthesis of 4-cyanophenyl 4-azido-4-deoxy-1,5-dithio- β -*D*-xylopyranoside 149
- Aziridine
Modifications under basic conditions of the minor sequences of heparin containing 2,3 or 2,3,6 sulfated *D*-glucosamine residues 103
- B-cell differentiation
Differential release of proteoglycans during human B lymphocyte maturation 85
- Benzylated aldonolactones
Benzylation of aldonolactones with benzyl trichloroacetimidate 109
- Benzyl trichloroacetimidate
Benzylation of aldonolactones with benzyl trichloroacetimidate 109
- Capsular polysaccharide
The structure of the capsular polysaccharide from *Klebsiella* type 52, using the computerised approach CASPER and NMR spectroscopy 79
- Carboxymethylation
Distribution of substituents in *O*-carboxymethyl and *O*-cyanoethyl ethers of inulin 203
- CASPER
The structure of the capsular polysaccharide from *Klebsiella* type 52, using the computerised approach CASPER and NMR spectroscopy 79
- Cellulose
A CP/MAS ¹³C NMR investigation of molecular ordering in celluloses 19
- Chiral inositol
Synthesis of optically active *myo*-inositol derivatives starting from phytic acid 163
- Chitin
Formation and characterisation of a physical chitin gel 169
- Chitooligosaccharides
Gram-scale synthesis of recombinant chitooligosaccharides in *Escherichia coli* 35
- Chitosan
Chitosan *N*-sulfate. A water-soluble polyelectrolyte 7
¹³C NMR spectroscopy
Distribution of substituents in *O*-carboxymethyl and *O*-cyanoethyl ethers of inulin 203
- Conformation
The crystal and molecular structures of 4-cyanophenyl 1,5-dithio- β -*D*-xylopyranoside S-5 oxide and 4-ethyl-2-oxo-2*H*-1-benzopyran-7-yl 5-thio- β -*D*-xylopyranoside S-5 oxide 53
- CP/MAS ¹³C NMR
A CP/MAS ¹³C NMR investigation of molecular ordering in celluloses 19
- Crystal structure
Non-mesogenic crystal structure of a synthetic 1-*D*-glucosamide bolaamphiphile 139
Structure of (\pm)-1,2;4,5-di-*O*-cyclohexylidene *myo*-inositol and synthesis of *myo*-inositol 3-phosphate via its phosphorylation with (2*R*,4*S*,5*R*)-2-chloro-3,4-dimethyl-5-phenyl-1,3,2-oxazaphospholidin-2-one 43
The crystal and molecular structures of 4-cyanophenyl 1,5-dithio- β -*D*-xylopyranoside S-5 oxide and 4-ethyl-2-oxo-2*H*-1-benzopyran-7-yl 5-thio- β -*D*-xylopyranoside S-5 oxide 53
- Cyanoethylation
Distribution of substituents in *O*-carboxymethyl and *O*-cyanoethyl ethers of inulin 203
- Cyclodextrins
Direct preparation of cyclodextrin monophosphates 27
- Degree of acetylation
Formation and characterisation of a physical chitin gel 169
- Density
Interaction mechanism in sol-gel transition of alginate solutions by addition of divalent cations 97
- 6-Deoxy-6-C-sulfo-*D*-gluconic acid
Sulfoquinovose and its aldonic acid: their preparation and oxidation to 2-sulfoacetaldehyde by periodate 113
- 6-Deoxy-6-C-sulfo-*D*-glucopyranose
Sulfoquinovose and its aldonic acid: their preparation and oxidation to 2-sulfoacetaldehyde by periodate 113
- 4-Deoxy-L-threo-hex-4-enopyranosyluronic acid
The contribution to kappa number from hexeneuronic acid groups in pulp xylan 213
- 2,5-Diketo-*D*-threo-hexonic acid (2,5-diketo-*D*-gluconic acid)
Regio- and stereo-selectivity in homogeneous catalytic hydrogenation of 2,5-diketo-*D*-threo-hexonic acid 245
- 4,5-Di-*O*-cyclohexylidene *myo*-inositol
Structure of (\pm)-1,2;4,5-di-*O*-cyclohexylidene *myo*-inositol and synthesis of *myo*-inositol 3-phosphate via its phosphorylation with (2*R*,4*S*,5*R*)-2-chloro-3,4-dimethyl-5-phenyl-1,3,2-oxazaphospholidin-2-one 43
- Direct preparation
Direct preparation of cyclodextrin monophosphates 27

- Disaccharide complexes**
 Synthesis and characterization of oxovanadium(IV) complexes with saccharides 131
- Egg jelly coat**
 Primary structure of seven sulfated oligosaccharide-alditols released by reductive β -elimination from oviducal mucins of *Rana temporaria*. Characterization of the sequence HSO₃(3)GlcA(β 1-3)Gal 179
- Electronic spectra**
 Synthesis and characterization of oxovanadium(IV) complexes with saccharides 131
- Enzyme purification**
 The alkaline xylanase III from *Fusarium oxysporum* F3 belongs to family F/10 191
- Enzymic deacetylations**
 Synthesis of acylated methyl β -D-xylopyranosides and their enzymic deacetylations by rabbit serum esterases 13
- 4,5-Epitio-D-xylose and 5-azido-5-deoxy-4-thio-D-xylose derivatives**
 Synthesis of 4-cyanophenyl 4-azido-4-deoxy-1,5-dithio- β -D-xylopyranoside 149
- Esters**
 Direct preparation of cyclodextrin monophosphates 27
- Etherification**
 Distribution of substituents in O-carboxymethyl and O-cyanoethyl ethers of inulin 203
- Exopolysaccharide**
Lactobacillus helveticus Lh59 secretes an exopolysaccharide that is identical to the one produced by *Lactobacillus helveticus* TN-4, a presumed spontaneous mutant of *Lactobacillus helveticus* TY1-2 197
- Fusarium oxysporum***
 The alkaline xylanase III from *Fusarium oxysporum* F3 belongs to family F/10 191
- Ganglioside**
 Synthesis of 6'-GM2, a regiosomer of ganglioside GM2, for studying the mechanism of action of GM2 activator 223
- Gelation**
 Formation and characterisation of a physical chitin gel 169
- 1-Glucosamide bolaamphiphile**
 Non-mesogenic crystal structure of a synthetic 1-D-glucosamide bolaamphiphile 139
- Glycal**
 A regio- and stereo-selective introduction of azide at C-4 of 2,3-un-saturated N-acetylneuraminic acids 237
- Glycosaminoglycans**
 The crystal and molecular structures of 4-cyanophenyl 1,5-dithio- β -D-xylopyranoside S-5 oxide and 4-ethyl-2-oxo-2H-1-benzopyran-7-yl 5-thio- β -D-xylopyranoside S-5 oxide 53
- Glycosidation reactions**
 Synthesis of 4-cyanophenyl 4-azido-4-deoxy-1,5-dithio- β -D-xylopyranoside 149
- GM2 activator**
 Synthesis of 6'-GM2, a regiosomer of ganglioside GM2, for studying the mechanism of action of GM2 activator 223
- Gradient-enhanced NMR experiments**
 Isolation and structure elucidation of a highly haemolytic saponin from the Merck saponin extract using high-field gradient-enhanced NMR techniques 67
- Haemolytic saponins**
 Isolation and structure elucidation of a highly haemolytic saponin from the Merck saponin extract using high-field gradient-enhanced NMR techniques 67
- Heparin**
 Modifications under basic conditions of the minor sequences of heparin containing 2,3 or 2,3,6 sulfated D-glucosamine residues 103
- L-threo-Hex-2-enono-1,4-lactone (L-ascorbic acid, vitamin C)**
 Regio- and stereo-selectivity in homogeneous catalytic hydrogenation of 2,5-diketo-D-threo-hexonic acid 245
- High cell density culture**
 Gram-scale synthesis of recombinant chitooligosaccharides in *Escherichia coli* 35
- Hydrogen bonding**
 Structure of (\pm)-1,2;4,5-di-O-cyclohexylidene myo-inositol and synthesis of myo-inositol 3-phosphate via its phosphorylation with (2R,4S,5R)-2-chloro-3,4-dimethyl-5-phenyl-1,3,2-oxazaphospholidin-2-one 43
- Hydrogen-bonding network**
 Non-mesogenic crystal structure of a synthetic 1-D-glucosamide bolaamphiphile 139
- Imidation**
 Synthesis and condensation reactions of 1-amino-1-deoxy-2,3,4-tri-O-methyl-5-O-[(pentachlorophenoxy)phthaloyl]-L-arabinitol 241
- Inclusion complexes**
 Effect of methylation of β -cyclodextrin on the formation of inclusion complexes with aromatic compounds. An ionspray mass spectrometry investigation 1
- 1D-chiro-Inositol**
 A new glycoside, 1D-2-O- α -D-galactopyranosyl-chiro-inositol from jojoba beans 219
- myo-Inositol**
 Synthesis of optically active myo-inositol derivatives starting from phytic acid 163
- Inositol glycoside**
 A new glycoside, 1D-2-O- α -D-galactopyranosyl-chiro-inositol from jojoba beans 219
- Inositol monophosphatase**
 Structure of (\pm)-1,2;4,5-di-O-cyclohexylidene myo-inositol and synthesis of myo-inositol 3-phosphate via its phosphorylation with (2R,4S,5R)-2-chloro-3,4-dimethyl-5-phenyl-1,3,2-oxazaphospholidin-2-one 43
- Inositol phosphate**
 Synthesis of optically active myo-inositol derivatives starting from phytic acid 163
- myo-Inositol 3-phosphate**
 Structure of (\pm)-1,2;4,5-di-O-cyclohexylidene myo-inositol and synthesis of myo-inositol 3-phosphate via its phosphorylation with (2R,4S,5R)-2-chloro-3,4-dimethyl-5-phenyl-1,3,2-oxazaphospholidin-2-one 43
- Intramolecular condensation**
 Synthesis and condensation reactions of 1-amino-1-deoxy-2,3,4-tri-O-methyl-5-O-[(pentachlorophenoxy)phthaloyl]-L-arabinitol 241
- Inulin**
 Distribution of substituents in O-carboxymethyl and O-cyanoethyl ethers of inulin 203
- Ionspray mass spectrometry**
 Effect of methylation of β -cyclodextrin on the formation of inclusion complexes with aromatic compounds. An ionspray mass spectrometry investigation 1
- Jojoba beans**
 A new glycoside, 1D-2-O- α -D-galactopyranosyl-chiro-inositol from jojoba beans 219
- Kappa number**
 The contribution to kappa number from hexeneuronic acid groups in pulp xylan 213
- Klebsiella* type 52**
 The structure of the capsular polysaccharide from *Klebsiella* type 52, using the computerised approach CASPER and NMR spectroscopy 79
- Kraft pulps**

- The contribution to kappa number from hexeneuronic acid groups in pulp xylan 213
- Lactobacillus helveticus Lh59**
Lactobacillus helveticus Lh59 secretes an exopolysaccharide that is identical to the one produced by *Lactobacillus helveticus* TN-4, a presumed spontaneous mutant of *Lactobacillus helveticus* TY1-2 197
- Layered assembly**
 Non-mesogenic crystal structure of a synthetic 1-D-glucosamide bolaamphiphile 139
- Metaphosphate**
 Direct preparation of cyclodextrin monophosphates 27
- Methylated β -cyclodextrins**
 Effect of methylation of β -cyclodextrin on the formation of inclusion complexes with aromatic compounds. An ionspray mass spectrometry investigation 1
- Methyl β -D-xylopyranosides, acylated**
 Synthesis of acylated methyl β -D-xylopyranosides and their enzymic deacylations by rabbit serum esterases 13
- Monosaccharide complexes**
 Synthesis and characterization of oxovanadium(IV) complexes with saccharides 131
- Multiplicity-edited ge-HSQC**
 Isolation and structure elucidation of a highly haemolytic saponin from the Merck saponin extract using high-field gradient-enhanced NMR techniques 67
- N-acetylneuraminic acid**
 A regio- and stereo-selective introduction of azide at C-4 of 2,3-unsaturated *N*-acetylneuraminic acids 237
- N-deacetylation**
 Gram-scale synthesis of recombinant chitoooligosaccharides in *Escherichia coli* 35
- NMR**
 Primary structure of seven sulfated oligosaccharide-alditols released by reductive β -elimination from oviducal mucins of *Rana temporaria*. Characterization of the sequence HSO₃(3)GlcA(β 1-3)Gal 179
- NMR spectrometry**
 A new glycoside, 1D-2-O- α -D-galactopyranosyl-*chiro*-inositol from jojoba beans 219
- 2D-NMR spectroscopy**
 Isolation and structure elucidation of a highly haemolytic saponin from the Merck saponin extract using high-field gradient-enhanced NMR techniques 67
- Nod genes**
 Gram-scale synthesis of recombinant chitoooligosaccharides in *Escherichia coli* 35
- Oligomers**
 Synthesis and condensation reactions of 1-amino-1-deoxy-2,3,4-tri-O-methyl-5-O-[(pentachlorophenoxy)phthaloyl]-L-arabinitol 241
- Oral antithrombotic activity**
 Synthesis of 4-cyanophenyl 4-azido-4-deoxy-1,5-dithio- β -D-xylopyranoside 149
- Order**
 A CP/MAS ¹³C NMR investigation of molecular ordering in celluloses 19
- Partial amino acid sequence**
 The alkaline xylanase III from *Fusarium oxysporum* F3 belongs to family F/10 191
- Participation of the sulfur atom**
 Synthesis of 4-cyanophenyl 4-azido-4-deoxy-1,5-dithio- β -D-xylopyranoside 149
- Periodate oxidation**
- Sulfoquinovose and its aldonic acid: their preparation and oxidation to 2-sulfoacetaldehyde by periodate** 113
- Phenylsulfenyl triflate**
 Studies on α -sialylation using sialyl donors with an auxiliary 3-thiophenyl group 123
- Phosphate**
 Direct preparation of cyclodextrin monophosphates 27
- Phytic acid**
 Synthesis of optically active *myo*-inositol derivatives starting from phytic acid 163
- Polycondensation reaction**
 Synthesis and condensation reactions of 1-amino-1-deoxy-2,3,4-tri-O-methyl-5-O-[(pentachlorophenoxy)phthaloyl]-L-arabinitol 241
- Polyelectrolyte**
 Chitosan *N*-sulfate. A water-soluble polyelectrolyte 7
- Polysaccharide**
 Modifications under basic conditions of the minor sequences of heparin containing 2,3 or 2,3,6 sulfated D-glucosamine residues 103
- Proteoglycans**
 Differential release of proteoglycans during human B lymphocyte maturation 85
- Rabbit serum esterases**
 Synthesis of acylated methyl β -D-xylopyranosides and their enzymic deacylations by rabbit serum esterases 13
- Recombinant oligosaccharides**
 Gram-scale synthesis of recombinant chitoooligosaccharides in *Escherichia coli* 35
- Ru(II) Tris(*m*-sulfonyl)phosphine [Ru(II)-TPPTS]**
 Regio- and stereo-selectivity in homogeneous catalytic hydrogenation of 2,5-diketo-D-*threo*-hexonic acid 245
- Secretion**
 Differential release of proteoglycans during human B lymphocyte maturation 85
- Serglycin**
 Differential release of proteoglycans during human B lymphocyte maturation 85
- Sialic acid**
 A regio- and stereo-selective introduction of azide at C-4 of 2,3-unsaturated *N*-acetylneuraminic acids 237
- Sialyl glycoside**
 Studies on α -sialylation using sialyl donors with an auxiliary 3-thiophenyl group 123
- Simmondsia chinensis**
 A new glycoside, 1D-2-O- α -D-galactopyranosyl-*chiro*-inositol from jojoba beans 219
- Sodium alginate**
 Interaction mechanism in sol-gel transition of alginate solutions by addition of divalent cations 97
- Sol-gel transition**
 Interaction mechanism in sol-gel transition of alginate solutions by addition of divalent cations 97
- Stereoselective α -sialylation**
 Studies on α -sialylation using sialyl donors with an auxiliary 3-thiophenyl group 123
- Sulfated-oligosaccharides**
 Primary structure of seven sulfated oligosaccharide-alditols released by reductive β -elimination from oviducal mucins of *Rana temporaria*. Characterization of the sequence HSO₃(3)GlcA(β 1-3)Gal 179
- 2-Sulfoacetaldehyde**
 Sulfoquinovose and its aldonic acid: their preparation and oxidation to 2-sulfoacetaldehyde by periodate 113
- Sulfoquinovose**
 Sulfoquinovose and its aldonic acid: their preparation and oxidation to 2-sulfoacetaldehyde by periodate 113
- Supermolecular structure**

- A CP/MAS ^{13}C NMR investigation of molecular ordering in celluloses 19
- Synthesis**
- The crystal and molecular structures of 4-cyanophenyl 1,5-dithio- β -D-xylopyranoside S-5 oxide and 4-ethyl-2-oxo-2H-1-benzopyran-7-yl 5-thio- β -D-xylopyranoside S-5 oxide 53
- Tay-Sachs disease
- Synthesis of 6'-GM2, a regioisomer of ganglioside GM2, for studying the mechanism of action of GM2 activator 223
- Texture**
- Lactobacillus helveticus* Lh59 secretes an exopolysaccharide that is identical to the one produced by *Lactobacillus helveticus* TN-4, a presumed spontaneous mutant of *Lactobacillus helveticus* TY1-2 197
- Thioglycoside**
- Studies on α -sialylation using sialyl donors with an auxiliary 3-thiophenyl group 123
- Thioglycosides**
- Synthesis of 4-cyanophenyl 4-azido-4-deoxy-1,5-dithio- β -D-xylopyranoside 149
- Thioisostere**
- A regio- and stereo-selective introduction of azide at C-4 of 2,3-un-saturated *N*-acetylneuraminic acids 237
- Thioxopyranosides**
- The crystal and molecular structures of 4-cyanophenyl 1,5-dithio- β -D-xylopyranoside S-5 oxide and 4-ethyl-2-oxo-2H-1-benzopyran-7-yl 5-thio- β -D-xylopyranoside S-5 oxide 53
- 5-thio- β -D-xylopyranoside S-5 oxide** 53
- 1,2,4-Triazole-nucleosides**
- Cyclization reactions of N^1 -(glycopyranosylamino)guanidines 229
- Ulosonic acid**
- A regio- and stereo-selective introduction of azide at C-4 of 2,3-un-saturated *N*-acetylneuraminic acids 237
- Vibrational spectra**
- Synthesis and characterization of oxovanadium(IV) complexes with saccharides 131
- Viscosity**
- Interaction mechanism in sol-gel transition of alginate solutions by addition of divalent cations 97
- VO²⁺ complexes**
- Synthesis and characterization of oxovanadium(IV) complexes with saccharides 131
- X-ray**
- Non-mesogenic crystal structure of a synthetic 1-D-glucosamide bo-laamphiphile 139
- Xylan**
- The contribution to kappa number from hexeneuronic acid groups in pulp xylan 213
- Xylanase**
- The alkaline xylanase III from *Fusarium oxysporum* F3 belongs to family F/10 191

